

Customer Information



The document is only valid in pdf format with the vertical stamp on the right margin.

Printed by MO.SCHULZ at 07:20:04 EST 02.06.2022

LEDPWL ACC 101 (Mounting Kit PX)CI Sheet

RL 2022-06-02

9C1 4412067-EN-01

SP_SSL_LEDDL104-CB_68W 12/24V C_{ust.} Info

Released
ECM

AM-ENT-IND SSL&EL München 700
Moritz Schulz AMW

External no.:

Template: ZOT 10000028

Page 1 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Bertien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

Mounting Kit PX - Customer Information Sheet


LEDPWL ACC 101



Assembly:



Application:



Customer Information

The document is only valid in pdf format with the vertical stamp on the right margin.

Printed by MO.SCHULZ at 07:20:04 EST 02.06.2022

LEDPWL ACC 101 (Mounting Kit PX)CI Sheet

RL 2022-06-02

9C1 4412067-EN-01

SP_SSL_LEDDL104-CB_68W 12/24V Cyst. Info

Released
ECM


AM-ENT-IND SSL&EL München 700
Moritz Schulz AMW

External no.:

Template: ZOT 10000028

Page 2 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Berlien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000



General tolerances in accordance with ISO 2768-v (Allgemeine Toleranzen nach ISO 2768-v)

Packaging content (Verpackungsinhalt)

No.	Part Name	Description	Qty
1	Standard adapter	aluminium	1
2	Standard bracket	stainless steel	1
3	M6 x 10 hexagon socket	stainless steel	2
4	M10 x 25 hex bolt	stainless steel	1
5	M10 washer	stainless steel	1
6	M10 spring washer	stainless steel	1
7	M10 nut	stainless steel	1
8	M8 x 55 hex bolt	stainless steel	1
9	M8 spring washer	stainless steel	1
10	M8 self-locking nut (nylon)	stainless steel	1
11	M8 rubber washer (1,5mm)	rubber	2

Mechanical data (Normen und Vorschriften)

Vibration resistance	Min. 8g rms
Adjustable angle	± 15°

Further specifications (Weitere Spezifikationen)

Test (Prüfung)	Rated value (Sollwert)	Test specification (Norm)
Weight	174g	

Process of manufacturing (Fertigungsprozess)

This product is designed and manufactured for the Automotive Aftermarket. Please consider the product specification to match the customer requirements. Dieses Produkt wurde für den Aftermarket entwickelt und produziert. Es ist unabdingbar, die Produktspezifikation mit den Kundenanforderungen abzugleichen.

Successive listing of changes (Änderungsfortschreibung)

Issue (Ausgabe):	Reason for change (Änderungsgrund):
31.05.2022	First Version

Customer Information



The document is only valid in pdf format with the vertical stamp on the right margin.

Printed by MO.SCHULZ at 07:20:04 EST 02.06.2022

LEDPWL ACC 101 (Mounting Kit PX)CI Sheet

RL 2022-06-02

9C1 4412067-EN-01

SP_SSL_LEDDL104-CB_68W 12/24V C_{ust.} Info

Released

AM-ENT-IND SSL&EL München 700

ECM

Moritz Schulz AMW

External no.:

Template: ZOT 10000028

Page 3 of 3

OSRAM GmbH: Chairman of the Supervisory Board: Peter Bauer; Managing Directors: Dr. Olaf Bertien (Chairman), Kathrin Dahnke, Dr. Stefan Kampmann;
Registered office: Munich; Commercial registry: Munich, HRB 201526; WEEE-Reg.-No. DE 71568000

OSRAM OLQ(V)
#OSRAM
#MO.SCHULZ
#700
#AMW
#LEDPWL ACC 101 (Mounting Kit PX)CI Sheet #
2022-06-02
#RL-Released
9C1 4412067-EN-01